Volume 171 1988

FEBS

European Journal of Biochemistry

Honorary Chairman
Frederick Sanger (Cambridge)

Managing Editors
Philipp Christen (Zürich), Michael J. Clemens (London), S. P. Datta (London), Eberhard Hofmann (Leipzig) *reviews editor*, Louis Hue (Bruxelles), Pierre Jollès (Paris), Claude Liébecq (Liège) *senior managing editor*, Walter Neupert (München), David G. Nicholls (Dundee), and Cees Veeger (Wageningen)

Editorial-Advisory Board
R. Arnon (Rehovot), S. Avrameas (Paris), B. E. C. Banks (London), A. Bernardi (Gif-sur-Yvette), H. Betz (Heidelberg), T. A. Bickle (Basel), J. Bremer (Oslo), A. Cornish-Bowden (Marseille), R. Cortese (Heidelberg), C. Crane-Robinson (Portsmouth), M. Crompton (London), J. Demaille (Montpellier), L. B. Dolapchiev (Sofiya), J. O. Dolly (London), H. Durchschlag (Regensburg), J. Duszynski (Warszawa), H. Eisenberg (Rehovot), H. Fasold (Frankfurt), J. Filipski (Paris), J. Finne (Kuopio), A. Fontana (Padova), F. Franěk (Praha), D. C. Gallwitz (Göttingen), G. P. Georgiev (Moskva), S. Ghisla (Konstanz), F. Goñi (Bilbao), H. Grosjean (Rhode-St-Genèse), D. G. Hardie (Dundee), D. H. Hayes (Paris), C.-H. Heldin (Uppsala), F. W. Hemming (Nottingham), A. Henschen-Edman (Martinsried), H. Hilz (Hamburg), F. Hofmann (Homburg), F. Hucho (Berlin), M. Jacob (Strasbourg), K. H. Jakobs (Heidelberg), H. Jörnvall (Stockholm), K. Jungermann (Göttingen), M. Klingenberg (München), W. N. Konings (Haren), R. Kraayenhof (Amsterdam), G. Kreil (Salzburg), L. Lehle (Regensburg), J.-M. Lhoste (Orsay), K. Martinek (Praha), M. Monsigny (Orléans), A. Paraf (Monnaie), I. Pecht (Rehovot), G. Pettersson (Lund), L. A. Pinna (Padova), A. Puigserver (Marseille), T. A. Rapoport (Berlin), J. G. Reich (Berlin), J. Rétey (Karlsruhe), J. Ricard (Marseille), E. Rickli (Bern), H. Rüterjans (Frankfurt), M. V. Saraste (Helsinki), M. C. Scrutton (London), V. Sgaramella (Pavia), A. E. Sippel (Heidelberg), V. P. Skulachev (Moskva), C. Sluse-Goffart (Liège), J. M. Tager (Amsterdam), I. P. Trayer (Birmingham), V. Ullrich (Konstanz), P. Venetianer (Szeged), A. Verbert (Villeneuve-d'Ascq), P. V. Vignais (Grenoble), J. F. G. Vliegenthart (Utrecht), K. von Figura (Göttingen), R. J. P. Williams (Oxford), K. W. A. Wirtz (Utrecht), A. V. Xavier (Lisboa), W. Zillig (Martinsried), H. Zuber (Zürich)

Published by Springer International
on behalf of the Federation of European Biochemical Societies

The exclusive copyright for all languages and countries, including the rights for photographic reproduction, electronic data base, video disks, or any other reproduction of text, figures, or tables from this journal, also in microform, is vested in the Federation of European Biochemical Societies.

The use of general descriptive names, trade names, trade marks, etc., in this publication, even if the former are not specifically identified, is not to be interpreted that such names are exempt from the relevant protective laws and regulations and may accordingly be used freely by anyone.

Individuals may reproduce material published in this journal when writing a review or book as long as they make proper acknowledgement to the origin of the material and obtain the author(s)' permission if this condition applies.

Springer Verlag · Berlin · Heidelberg · New York

Printers: Wiesbadener Graphische Betriebe GmbH, Wiesbaden

Printed in Germany

Copyright © by the Federation of European Biochemical Societies 1988

Volume 171 1988

Table of contents

No. 1/2 1–424 issued on January 15, 1988
No. 3 425–728 issued on February 1, 1988

Corrections 727

Nucleic acids, protein synthesis, and molecular genetics

Subunit structure of a yeast site-specific endodeoxyribonuclease, endo*Sce*I – A study using monoclonal antibodies
K. Nakagawa, J. Hashikawa, O. Makino, T. Ando and T. Shibata 23–29

Site of action of a Vero toxin (VT2) from *Escherichia coli* O157:H7 and of Shiga toxin on eukaryotic ribosomes – RNA *N*-glycosidase activity of the toxins
Y. Endo, K. Tsurugi, T. Yutsudo, Y. Takeda, T. Ogasawara and K. Igarashi 45–50

The human von Willebrand factor gene – Structure of the 5′ region
D. Bonthron and S. H. Orkin 51–57

Elongation factor 1$\beta\gamma$ from *Artemia* – Purification and properties of its subunits
G. M. C. Janssen and W. Möller 119–129

Immunochemical properties of elongation factors 1 of plant origin
J. Pulikowska, P. Wojtaszek, A. Korcz, Z. Michalski, T. Candresse and T. Twardowski 131–136

Expression in *Escherichia coli* and characterization of human growth-hormone-releasing factor
S. Villa, G. De Fazio, S. Donini, G. Tarchi and U. Canosi 137–141

Conformational analysis of the dinucleotides 5′-methylphospho-N^6-dimethyladenylyl-uridine (mpm^6_2A-U) and 5′-methylphospho-uridylyl-N^6-dimethyladenosine (mpU-m^6_2A) and of the trinucleotide U-m^6_2A-U – A nuclear magnetic resonance and circular dichroic study
Y. T. Van den Hoogen, P. P. Lankhorst, P. Gijsman, A. J. Hartel, J. H. Van Boom and C. Altona 143–153

Conformational analysis of the tetranucleotides m^6_2A-m^6_2A-U-m^6_2A ($m^6_2A = N^6$-dimethyladenosine) and U-m^6_2A-U-m^6_2A and of the hybrid dA-r(U-A) – A one- and two-dimensional NMR study
Y. T. Van den Hoogen, S. J. Treurniet, H. C. P. F. Roelen, E. De Vroom, G. A. Van der Marel, J. H. Van Boom and C. Altona 155–162

Hydrogen peroxide (H_2O_2) induces actin and some heat-shock proteins in *Drosophila* cells
A.-M. Courgeon, E. Rollet, J. Becker, C. Maisonhaute and M. Best-Belpomme 163–170

Control of enzyme synthesis in the lysine biosynthetic pathway of *Saccharomyces cerevisiae* – Evidence for a regulatory role of gene *LYS14*
F. Ramos, E. Dubois and A. Piérard 171–176

The tubulin genes of *Trypanosoma cruzi*
R. Maingon, R. Gerke, M. Rodriguez, J. Urbina, J. Hoenicka, S. Negri, T. Aguirre, J. Nehlin, T. Knapp and J. Crampton 285–291

Structural and functional studies of the interaction of the eukaryotic elongation factor EF-2 with GTP and ribosomes
L. Nilsson and O. Nygård 293–299

Association of glyceraldehyde-3-phosphate dehydrogenase with mono- and polyribosomes of rabbit reticulocytes
A. G. Ryazanov, L. I. Ashmarina and V. I. Muronetz 301–305

Primary structure of the uracil transport protein of *Saccharomyces cerevisiae*
R. Jund, E. Weber and M.-R. Chevallier 417–424

The 5′-flanking region of the human P-450(SCC) gene shows responsiveness to cAMP-dependent regulation in a transient gene-expression system of Y-1 adrenal tumor cells
H. Inoue, Y. Higashi, K. Morohashi and Y. Fujii Kuriyama 435–440

Human heme oxygenase cDNA and induction of its mRNA by hemin
T. Yoshida, P. Biro, T. Cohen, R. M. Müller and S. Shibahara 457–461

Stress response of *Tetrahymena pyriformis* to arsenite and heat shock – Differences and similarities
M. D. Amaral, L. Galego and C. Rodrigues-Pousada 463–470

The structure of brain-specific rat aldolase C mRNA and the evolution of aldolase isozyme genes
A. Kukita, T. Mukai, T. Miyata and K. Hori 471–478

Production in *Escherichia coli* and one-step purification of bifunctional hybrid proteins which bind maltose – Export of the Klenow polymerase into the periplasmic space
H. Bedouelle and P. Duplay 541–549

Complex RNA maturation in chloroplasts – The *psbB* operon from spinach
P. Westhoff and R. G. Herrmann 551–564

RNA-binding properties of hnRNP proteins
J. Schenkel, C. E. Sekeris, A. Alonso and E. K. F. Bautz 565–569

Depression in gene expression for poly(ADP-ribose) synthetase during the interferon-γ-induced activation process of murine macrophage tumor cells
T. Taniguchi, K. Yamauchi, T. Yamamoto, K. Toyoshima, N. Harada, H. Tanaka, S. Takahashi, H. Yamamoto and S. Fujimoto 571–575

Protein chemistry and structure

Properties and crystallization of a genetically engineered, water-soluble derivative of penicillin-binding protein 5 of *Escherichia coli* K12
L. C. S. Ferreira, U. Schwarz, W. Keck, P. Charlier, O. Dideberg and J.-M. Ghuysen 11–16

Insect immunity — Purification and characterization of a family of novel inducible antibacterial proteins from immunized larvae of the dipteran *Phormia terranovae* and complete amino-acid sequence of the predominant member, diptericin A
J.-L. Dimarcq, E. Keppi, B. Dunbar, J. Lambert, J.-M. Reichhart, D. Hoffmann, S. M. Rankine, J. E. Fothergill and J. A. Hoffmann 17–22

The secondary structure of the toxin ATX Ia from *Anemonia sulcata* in aqueous solution determined on the basis of complete sequence-specific ^{1}H-NMR assignments
H. Widmer, G. Wagner, H. Schweitz, M. Lazdunski and K. Wüthrich 177–192

Inhibition of human glutathione reductase by the nitrosourea drugs 1,3-bis(2-chloroethyl)-1-nitrosourea and 1-(2-chloroethyl)-3-(2-hydroxyethyl)-1-nitrosourea — A crystallographic analysis
P. A. Karplus, R. L. Krauth-Siegel, R. H. Schirmer and G. E. Schulz 193–198

Adipose tissue protein phosphatase inhibitor-2
P. Strålfors 199–204

Secondary structure and hydrogen bonding of crambin in solution — A two-dimensional NMR study
R. M. J. N. Lamerichs, L. J. Berliner, R. Boelens, A. De Marco, M. Llinàs and R. Kaptein 307–312

Characterization of an anti-thrombospondin monoclonal antibody (P8) that inhibits human blood platelet functions — Normal binding of P8 to thrombin-activated Glanzmann thrombasthenic platelets
H. Boukerche and J. L. McGregor 383–392

Determination of the backbone conformation of secretin by restrained molecular dynamics on the basis of interproton distance data
G. M. Clore, M. Nilges, A. Brünger and A. M. Gronenborn 479–484

Human erythrocyte glucose-6-phosphate dehydrogenase — Identification of a reactive lysyl residue labelled with pyridoxal 5'-phosphate
L. Camardella, C. Caruso, B. Rutigliano, M. Romano, G. Di Prisco and F. Descalzi-Cancedda 485–489

T-Kinin release from T-kininogen by rat-submaxillary-gland endopeptidase K
N. Gutman, T. Moreau, F. Alhenc-Gelas, T. Baussant, A. El Moujahed, S. Akpona and F. Gauthier 577–582

Mapping of catalytic domains and phosphorylation sites in the multifunctional pyrimidine-biosynthetic protein CAD
E. A. Carrey and D. G. Hardie 583–588

Role of tyrosine-80 in the stability of kanamycin nucleotidyltransferase analyzed by site-directed mutagenesis
M. Matsumura, S. Yahanda, S. Yasumura, K. Yutani and S. Aiba 715–720

The reconstitution of a hybrid histone octamer containing avian ^{110}Cys-des-thio-histone H3 and sea-urchin ^{73}Cys-histone H4
H. J. Greyling, B. T. Sewell and C. Von Holt 721–726

Enzymology

Further purification and characterization of the DNA 3'-phosphatase from rat-liver chromatin which is also a polynucleotide 5'-hydroxyl kinase
Y. Habraken and W. G. Verly 59–66

Purification and characterization of a bacterial dehalogenase with activity toward halogenated alkanes, alcohols and ethers
D. B. Janssen, J. Gerritse, J. Brackman, C. Kalk, D. Jager and B. Witholt 67–72

Purification and characterization of a liver microsomal cytochrome *P*-450 isoenzyme with a high affinity and metabolic capacity for coumarin from pyrazole-treated D2 mice
R. O. Juvonen, V. M. Shkumatov and M. A. Lang 205–211

Metabolism of 2-oxoaldehyde in mold — Purification and characterization of two methylglyoxal reductases from *Aspergillus niger*
Y. Inoue, H. Rhee, K. Watanabe, K. Murata and A. Kimura 213–218

Penicillin-degrading activities of peptides from pneumococcal penicillin-binding proteins
H. Ellerbrok and R. Hakenbeck 219–224

ADP-ribosylation of skeletal muscle and non-muscle actin by *Clostridium perfringens* iota toxin
B. Schering, M. Bärmann, G. S. Chhatwal, U. Geipel and K. Aktories 225–229

Type B nucleoside-diphosphatase of rat brain — Purification and properties of an enzyme with high thiamin pyrophosphatase activity
S. Sano, Y. Matsuda and H. Nakagawa 231–236

Higher oxidation states of prostaglandin H synthase — EPR study of a transient tyrosyl radical in the enzyme during the peroxidase reaction
R. Karthein, R. Dietz, W. Nastainczyk and H. H. Ruf 313–320

Higher oxidation states of prostaglandin H synthase — Rapid electronic spectroscopy detected two spectral intermediates during the peroxidase reaction with prostaglandin G_2
R. Dietz, W. Nastainczyk and H. H. Ruf 321–328

Purification and some properties of cathepsin B from rabbit skeletal muscle
A. Okitani, M. Matsuishi, T. Matsumoto, E. Kamoshida, M. Sato, U. Matsukura, M. Watanabe, H. Kato and M. Fujimaki 377–381

Purification and characterization of aqualysin I (a thermophilic alkaline serine protease) produced by *Thermus aquaticus* YT-1
H. Matsuzawa, K. Tokugawa, M. Hamaoki, M. Mizoguchi, H. Taguchi, I. Terada, S.-T. Kwon and T. Ohta 441–447

Purification and characterization of five forms of glutathione transferase from human uterus
C. Di Ilio, A. Aceto, G. Del Boccio, E. Casalone, A. Pennelli and G. Federici 491–496

Purification and some properties of the corrinoid-containing membrane protein from *Methanobacterium thermoautotrophicum*
H. Schulz, S. P. J. Albracht, J. M. C. C. Coremans and G. Fuchs 589–597

Characterization of phosphofructokinase 2 and of enzymes involved in the degradation of fructose 2,6-bisphosphate in yeast
J. François, E. Van Schaftingen and H.-G. Hers 599–608

Structure function studies on the lipoate-acetyltransferase–component-X-core assembly of the ox heart pyruvate dehydrogenase complex
J. A. Hodgson, O. G. L. De Marcucci and J. G. Lindsay 609–614

Carbamoyl-phosphate synthetase I — Kinetics of binding and dissociation of acetylglutamate and of activation and deactivation
H. G. Britton and V. Rubio 615–622

Purification, properties and cation activation of galactosyltransferase from lactating-rat mammary Golgi membranes
N. Navaratnam, S. Ward, C. Fisher, N. J. Kuhn, J. N. Keen and J. B. C. Findlay 623–629

Carbohydrates, lipids and other natural products

Various kinds of lipoamino acids including a novel serine-containing lipid in an opportunistic pathogen *Flavobacterium* — Their structures and biological activities on erythrocytes
Y. Kawai, I. Yano and K. Kaneda 73– 80

Distributions of retinoids, retinoid-binding proteins and related parameters in different types of liver cells isolated from young and old rats
H. F. J. Hendriks, W. S. Blaner, H. M. Wennekers, R. Piantedosi, A. Brouwer, A. M. De Leeuw, DeW. S. Goodman and D. L. Knook 237–244

The hopanoids of the purple non-sulfur bacteria *Rhodopseudomonas palustris* and *Rhodopseudomonas acidophila* and the absolute configuration of bacteriohopanetetrol
S. Neunlist, P. Bisseret and M. Rohmer 245–252

Effective glucuronidation of 6α-hydroxylated bile acids by human hepatic and renal microsomes
M. Parquet, M. Pessah, E. Sacquet, C. Salvat and A. Raizman 329–334

Primary structure of neutral oligosaccharides derived from respiratory-mucus glycoproteins of a patient suffering from bronchiectasis, determined by combination of 500-MHz ^{1}H-NMR spectroscopy and quantitative sugar analysis — 1. Structure of 16 oligosaccharides having the Galβ(1→3)GalNAc-ol core (type 1) or the Galβ(1→3)[GlcNAcβ(1→6)]GalNAc-ol core (type 2)
A. Klein, G. Lamblin, M. Lhermitte, P. Roussel, J. Breg, H. Van Halbeek and J. F. G. Vliegenthart 631–642

Primary structure of neutral oligosaccharides derived from respiratory-mucus glycoproteins of a patient suffering from bronchiectasis, determined by combination of 500-MHz ^{1}H-NMR spectroscopy and quantitative sugar analysis — 2. Structure of 19 oligosaccharides having the GlcNAcβ(1→3)GalNAc-ol core (type 3) or the GlcNAcβ(1→3)[GlcNAcβ(1→6)]GalNAc-ol core (type 4)
J. Breg, H. Van Halbeek, J. F. G. Vliegenthart, A. Klein, G. Lamblin and P. Roussel 643–654

Biosynthesis of vitamin B-12 in anaerobic bacteria — Experiments with *Eubacterium limosum* on the origin of the amide groups of the corrin ring and of *N*-3 of the 5,6-dimethylbenzimidazole part
J. R. A. Vogt and P. Renz 655–659

Physical biochemistry

Preferential positioning of nucleosomes on pBR322 as evaluated via Fourier transform of data from electron microscopy
E. Caffarelli, P. De Santis, L. Leoni, A. Palleschi and M. Savino 497–501

The interaction of α-tocopherol and homologues with shorter hydrocarbon chains with phospholipid bilayer dispersions — A fluorescence probe study
V. E. Kagan and P. J. Quinn 661–667

Mössbauer studies on the metal-thiolate cluster formation in Fe(II)-metallothionein
X. Ding, E. Bill, M. Good, A. X. Trautwein and M. Vašák 711–714

Membranes and bioenergetics

Identification and primary structure of the cardiolipin-binding domain of mitochondrial creatine kinase
D. Cheneval and E. Carafoli 1– 9

A myosin site involved in energy transduction during muscle contraction
T. Miyanishi, K. Horiuti, M. Endo and G. Matsuda 31– 35

Quenching of the intrinsic tryptophan fluorescence of mitochondrial ubiquinol–cytochrome-*c* reductase by the binding of ubiquinone
C. M. Samworth, M. Degli Esposti and G. Lenaz 81– 86

cDNA clones for human platelet GPIIb corresponding to mRNA from megakaryocytes and HEL cells — Evidence for an extensive homology to other Arg-Gly-Asp adhesion receptors
G. Uzan, P. Frachet, A. Lajmanovich, M.-H. Prandini, E. Denarier, A. Duperray, J. Loftus, M. Ginsberg, E. Plow and G. Marguerie 87– 93

Cytochrome b_6f complex is required for phosphorylation of light-harvesting chlorophyll *a/b* complex II in chloroplast photosynthetic membranes
J. Bennett, E. K. Shaw and H. Michel 95–100

Electrogenic steps in the redox reactions catalyzed by photosynthetic reaction-centre complex from *Rhodopseudomonas viridis*
S. M. Dracheva, L. A. Drachev, A. A. Konstantinov, A. Y. Semenov, V. P. Skulachev, A. M. Arutjunjan, V. A. Shuvalov and S. M. Zaberezhnaya 253–264

Two different adenylyl cyclases in brain distinguished by monoclonal antibodies
S. Mollner and T. Pfeuffer 265–271

Rate of calcium release and ATP synthesis in sarcoplasmic reticulum vesicles
M. P. Sande-Lemos and L. De Meis 273–278

Lipid-dependent membrane enzymes — Purification to homogeneity and further characterization of diacylglycerol kinase from *Escherichia coli*
E. Russ, U. Kaiser and H. Sandermann Jr 335–342

Inhibition of mitochondrial F_1 ATPase and sarcoplasmic reticulum ATPase by hydrophobic molecules
L. De Meis, M. Tuena de Gómez Puyou and A. Gómez Puyou 343–349

Use of a monoclonal antibody to measure the surface expression of thrombospondin following platelet activation
C. Legrand, V. Dubernard, N. Kieffer and A. T. Nurden 393–399

Redox and acid-base characterization of cytochrome *b*-559 in photosystem II particles
J. M. Ortega, M. Hervás and M. Losada 449–455

Comparative study of the lateral motion of extrinsic probes and anthracene-labelled constitutive phospholipids in the plasma membrane of Chinese hamster ovary cells
L. Dupou, A. Lopez and J.-F. Tocanne 669–674

Cellular biochemistry and metabolism

Reduction of myosin-light-chain phosphorylation and of parvalbumin content in myotonic mouse muscle and its reversal by tocainide
H. Jockusch, J. Reininghaus, I. Stuhlfauth and M. Zippel 101–105

Luteal progesterone synthesis and high-density lipoprotein — Evidence implicating a pronase-sensitive HDL-binding site in the mechanism by which HDL supports luteal progesterone synthesis
J. W. Aitken, R. Booth and D. A. Stansfield 279–284

Engineered rat insulin I analogue having a B16 Tyr/Asp replacement exhibits unchanged susceptibility to cleavage by insulin proteinase
J. M. Varley, J. G. Davies, D. Shire, R. E. Offord and K. N. Timmis 351–354

An antibody to the low-density lipoprotein (LDL) receptor that partially inhibits the binding of LDL to cultured human fibroblasts
S. J. P. Gavigan, D. D. Patel, A. K. Soutar and B. L. Knight 355–361

The effect of thyroxine on the calmodulin-dependent (Ca^{2+}-Mg^{2+})ATPase activity and protein phosphorylation in rabbit fast skeletal muscle sarcolemma
K. S. Famulski, M. Pilarska, A. Wrzosek and M. G. Sarzala 363–368

Elicitor-induced biosynthesis of psoralens in *Ammi majus* L. suspension cultures — Microsomal conversion of demethylsuberosin into (+)marmesin and psoralen
D. Hamerski and U. Matern 369–375

A human embryonic lung fibroblast with a high density of muscarinic acetylcholine receptors
C. André, S. Marullo, A. Convents, B. Z. Lü, J. G. Guillet, J. Hoebeke and A. D. Strosberg 401–407

$S100a_0$ ($\alpha\alpha$) protein in cardiac muscle — Isolation from human cardiac muscle and ultrastructural localization
H. Haimoto and K. Kato 409–415

The $Na^+/K^+/Cl^-$ cotransport in C6 glioma cells — Properties and role in volume regulation
O. Chassande, C. Frelin, D. Farahifar, T. Jean and M. Lazdunski 425–433

Synergistic stimulation of *S*-adenosylmethionine decarboxylase activity by Ca^{2+} ionophore A23187, cholera toxin and 1-oleoyl-2-acetylglycerol
S. Otani, I. Matsui-Yuasa, Y. Mimura-Shimazu and S. Morisawa 509–513

Identification of cytoplasmic nodule-associated forms of malate dehydrogenase involved in the symbiosis between *Rhizobium leguminosarum* and *Pisum sativum*
M. A. Appels and H. Haaker 515–522

Effects of guanosine 5′-[γ-thio]triphosphate and thrombin on the phosphoinositide metabolism of electropermeabilized human platelets
M. Culty, M. M. L. Davidson and R. J. Haslam 523–533

Interferon removes its own receptors as it blocks the division of Daudi cells
P. Eid, M.-T. Bandu, G. Uze and K. E. Mogensen 675–682

Electrostatic interactions in the cellular dynamics of the interferon-receptor complex
G. Uze, M.-T. Bandu, P. Eid, M. Grütter and K. E. Mogensen 683–691

Metabolism and metabolic regulations

Albumin in rabbit skeletal muscle — Origin, distribution and regulation by contractile activity
A. Heilig and D. Pette 503–508

Developmental biochemistry and immunology

Transcription factors mediate rRNA synthesis during myogenesis
P. Zahradka and B. H. Sells 37– 43

Purification and characterization of a casein-kinase-II-type enzyme from *Xenopus laevis* ovary — Biological effects on the meiotic cell division of full-grown oocyte
O. Mulner-Lorillon, J. Marot, X. Cayla, R. Pouhle and R. Belle 107–117

Reversal of snake neurotoxin binding to mammalian acetylcholine receptor by specific antiserum
E. Gatineau, C. Y. Lee, P. Fromageot and A. Menez 535–539

The development of rat α_2-macroglobulin — Studies *in vivo* and in cultured fetal rat hepatocytes
S. Fletcher, T. Thomas, G. Schreiber, P. C. Heinrich and G. C. T. Yeoh 703–709

Signal transduction and molecular neurobiology

Activation of rat basophilic leukemia cells — Temporal identification of the signal calcium influx mediated by the receptor-operated channel pathway
S. Ran and B. Rivnay 693–701

Indexed in *Current Contents*